

PERFORMANCE REPORT 2020 - 2024

ENVIRONMENT July 2024







Contents

Description & Analysis		3
KPI #1	#1: KEA/HFE at FABEC level (excl. 10 best/worst days)	
PI #1:	HFE based on Actual at FABEC level (incl. all days)	4
PI #2:	KEP/HFE based on filed FPL at FABEC level (excl. 10 best/worst days)	5
PI #3:	HFE based on filed FPL at FABEC level (incl. all days)	5
PI #4:	HFE based on Actual at State level (incl. all days)	6
PI #5:	HFE based on filed FPL at State level (incl. all days)	7
Glossary		8








Description & Analysis

ENV KPI #1: KEA/HFE at FABEC level (excl. 10 best/worst days)

In the FABEC area, the yearly rolling average value of efficiency of flown trajectory (expressed in KEA) was 96,90% for the period of August 2023 - July 2024, excluding the 10 best and 10 worst days. This value is 0.35pp less than the reference value (97,25%) and 0.06pp less compared to the 12-month rolling average of July 2023 (96,84%). The July 2024 value is 0.01pp higher compared to the previous month's value and 0.34pp less than the highest yearly rolling KEA value since 2015 reached in March and April 2021 (97,24%). In July 2024, the difference between KEA and KEP is 2.31pp, which is the same value compared to the month before.

ENV PI#1: HFE based on Actual at FABEC level (including all days)

The flight efficiency (expressed in KEA including all days on a monthly basis) has reached 96,73% in July 2024, which is 0.01pp higher compared to June 2024 (96,72%) and 0.92pp lower compared to April 2020 (97,65%), which is the highest value since January 2016. The KEA in July 2024 has increased by 0.04pp compared to the same month in 2023 (KEA in July 2023 was 96,69%). The positive correlation between flight efficiency and traffic can be seen in the graph below:



ENV PI#2: KEP/HFE based on Filed FPL at FABEC level (excl. 10 best/worst days)

The KEP 12 months rolling average indicator was 94,59% for July 2024. It has increased by 0.19pp as compared to 94,40% in July 2023. From April 2023 onwards, the indicator increases every month. The trend also continues in 2024.

ENV PI#3: HFE based on Filed FPL at FABEC level (including all days)

The figure shows an increase of the flight efficiency indicator in July 2024 (94,61%) compared to one month prior (94,58%) and an increase in flight efficiency in July 2024 by 0.19pp compared to the value in July 2023 (94,61% in July 2024 vs 94,45% in July 2023).

ENV PI#4: HFE based on Actual at State level (including all days)

At national level, all countries except Belgium and Netherlands demonstrated an increase of flight efficiency based on actual trajectories in July 2024 compared to June 2024.

ENV PI#5: HFE based on Filed FPL at State level (including all days)


At national level, all countries except Belgium and Netherlands demonstrated an increase in flight efficiency based on the filed FPL in July 2024 compared to June 2024.






9












🚱 🐴 skeyes 🖉 🍠 👪 🤶

skyguide

9






_____ skyguide

(ANA







Glossary

KEP / KEA definition

KEP compares the length of the en route section of the last filed flight plan Lp with the corresponding Achieved p of the great circle distance.

KEA compares the length of the en route section of the actual trajectory La with the corresponding Achieved a of the great circle distance.



KEP is the reference for SES-wide improvement with a global target set by the European Commission. KEA is the reference for FAB improvements with individual targets set by the European Commission.

Achieved distance calculation


4 reference points are identified for KEP/KEA calculation :

The **O**rigin and **D**estination points are the targets of the trajectory and the reference points for the Great Circle:

- the airports inside the SES area
- when the airports are outside the SES area, they are the trajectory point at the SES border

The eNtry and eXit points are the first and last points of the part of the trajectory considered within a FAB:

- the point on the 40NM circle around departure or arrival airport
- the point on the border with the previous/next FAB



For further details on PRU methodology, please refer to the following documentation: <u>http://prudata.webfactional.com/wiki/images/6/61/HFE_Methodology_2014_05_23.pdf</u>

TABLE OF ABBREVIATIONS

- ADEP Airport of Departure
- ANSP Air Navigation Service Provider
- ATFM Air Traffic Flow Management
- FABEC Functional Airspace Block Europe Central
- ADES Airport of Destination
- PRU Performance Review Unit
- **YTD** Year to Date value
- FPP FABEC Performace Plan
- TMA Terminal Manoeuvring Area, delimited by a 40 NM circle around the origin and destination airport.

skyquide



FABEC Performance Report Environment:

Editor:FABEC PMGSources:EUROCONTROL PRU (http://ansperformance.eu/), FABEC ANSPsStatus:July 2024www.FABEC.eu

Notice

The FABEC PMG has made every effort to ensure that the information and analysis contained in this document are as accurate and complete as possible.

Only information from quoted sources has been used and information relating to named parties has been checked with the parties concerned.

Despite these precautions, should you find any errors or inconsistencies we would be grateful if you could please bring them to the FABEC PMG's attention.

